

CORRECTION

Open Access



Correction to: Gas Leakage Detection and Pressure Difference Identification by Asymmetric Differential Pressure Method

Yan Shi¹, Jiaqi Chang¹, Yixuan Wang^{1*} , Xuelin Zhao^{2,3}, Qingzhen Zhang^{1*} and Liman Yang¹

**Correction to: Chinese Journal of Mechanical Engineering
(2022) 35:44**

<https://doi.org/10.1186/s10033-022-00697-1>

In the original publication of this article [1], the author information is duplicated on the page 9 and page 10. The original publication has been corrected.

Author Details

¹School of Automation Science and Electrical Engineering, Beihang University, Beijing 100191, China. ²Department of Musculoskeletal tumor, The Fourth Medical Center of PLA General Hospital, Beijing 100089, China. ³Senior Department of Orthopedics, The Fourth Medical Center of PLA General Hospital, Beijing 100089, China.

Published online: 07 June 2022

Reference

1. Y Shi, J Chang, Y Wang, X Zhao, Q, L Yang (2022) Gas Leakage Detection and Pressure Difference Identification by Asymmetric Differential Pressure Method. Chinese Journal of Mechanical Engineering 35:44 <https://doi.org/10.1186/s10033-022-00697-1>

The original article can be found online at <https://doi.org/10.1186/s10033-022-00697-1>.

*Correspondence: magic_wyx@163.com; zhangqz@buaa.edu.cn

¹ School of Automation Science and Electrical Engineering, Beihang University, Beijing 100191, China
Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.